

SPECIFICATION BOOK 2020

gross prices - does not include statutory VAT Valid from 01.04.2020



CULT



BASIN

BIDET

SHOWER

BATH

ACCESSORIES

Finishes:

Fittings: -00 polished chrome / -33 matt black

All Professional Information can also be found at ${\bf www.dornbracht\text{-}professional.com}.$

33 500 960



Single-lever basin mixer with pop-up waste

- · 135 mm projection
- · fixed spout
- · circular, air-enriched flow
- · height of mixer 147 mm
- · height up to aerator 92 mm
- · hole diameter 35 mm
- · 2x screw-in M 10 x 1 pressure hose, leaktested
- · max. flow 7 l/min
- · lead-free





Product alternative

Single-lever basin mixer without pop-up waste

without pop-up waste

		Euro
polished chrome	33 521 960-00	366.20
matt black	33 521 960-33	492.30

33 525 960



Single-lever basin mixer without pop-up waste

- · 105 mm projection
- · fixed spout
- circular, air-enriched flow
- · height of mixer 136 mm
- · height up to aerator 81 mm
- · hole diameter 35 mm
- · 2x screw-in M 10 x 1 pressure hose, leaktested
- · max. flow 7 l/min
- · lead-free

		Luio
polished chrome	33 525 960-00	347.10
matt black	33 525 960-33	466.70

Furo

33 534 960



Single-lever basin mixer with raised base without pop-up waste

- · 205 mm projection
- · fixed spout
- circular, air-enriched flow
- height of mixer 297 mm
- · height up to aerator 240 mm
- · hole diameter 35 mm
- · 2x M 10 x 1 screw-in high pressure hose (600mm)
- · max. flow 7 l/min
- · lead-free

		Euro
polished chrome	33 534 960-00	651.20
matt black	33 534 960-33	875.70

Euro

170.70

36 860 960



Wall-mounted single-lever basin mixer without pop-up waste

- · 210 mm projection
- · fixed spout
- · circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for single-lever mixer 78 x 78mm
- · rosette for spout 78 x 78mm
- · max. flow 7 l/min
- · lead-free

		Euro
polished chrome	36 860 960-00	607.20
matt black	36 860 960-33	795.70



Required miscellaneous

Concealed wall-mounted single-Concealed rough parts 35 860 970 90

lever mixer mixer on right min. recess depth 80 mm

· max. recess depth 95 mm

For details and miscellaneous, see page 90

Required miscellaneous

Euro Concealed rough parts 35 816 970 90 293.00



Concealed wall-mounted singlelever mixer mixer on right

NOTE:Not suitable for concealed installation.Connection by means of angle valves, mounted with screws to back wall.

For details and miscellaneous, see page 90

13 800 960 + 42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- · 211 mm projection
- · fixed spout
- · circular, air-enriched flow
- · hole diameter 40 mm
- · rosette 78 x 78 mm
- · 1/2" connection
- · max. flow 7 l/min
- · lead-free
- · automatic hygiene flush
- \cdot suitable for thermal disinfection
- adjustable follow-up time
- · high-frequency sensors with self-calibration
- · magnetic valve
- temperature setting via thermostat
- · 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Cannot be combined with basins that have a closing drain.

	a
	>
<u></u>	J

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

- · min. recess depth 90 mm
- max. recess depth 125 mm

		Euro
polished chrome	1x 13 800 960-00	435.20
	1x 42 765 970 90	522.50
	Total price:	957.70
matt black	1x 13 800 960-33	587.50
	1x 42 765 970 90	522.50
	Total price	1 110 00

Concealed rough parts

35 741 970 90

238.40

Euro

13 800 960 + 42 766 970



eSET Touchfree Basin mixer without pop-up waste without temperature setting

- · 211 mm projection
- · fixed spout
- · circular, air-enriched flow
- \cdot hole diameter 40 mm
- · rosette 78 x 78 mm
- · 1/2" connection
- · max. flow 7 l/min
- · lead-free
- · automatic hygiene flush
- · suitable for thermal disinfection
- · adjustable follow-up time
- high-frequency sensors with self-calibration
- · magnetic valve
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Cannot be combined with basins that have a closing drain.

00 960-00	435.20
66 970 90	435.40
tal price:	870.60
00 960-33	587.50
66 970 90	435.40
tal price:	1,022.90
	tal price: 00 960-33 66 970 90



Required miscellaneous

eSET Touchfree Basin mixer without temperature setting for combining with wall-mounted fittings

- · min. recess depth 90 mm
- · max. recess depth 125 mm

Euro
Concealed rough parts 35 743 970 90 216.60

Miscellaneous basin

10 060 970



Siphon for basin

· rosette Ø 70 mm

		Euro
polished chrome	10 060 970-00	257.30
matt black	10 060 970-33	347.50


22 901 979

Angle valve

- · rosette Ø 55 mm
- · hose covering 200mm, for shortening

		Euro
polished chrome	22 901 979-00	143.30
matt black	22 901 979-33	193 50







Only suitable for basins with an overflow.

		Euro
polished chrome	10 200 970-00	124.00
matt black	10 200 970-33	167.20

Furo

Basin Waste 1 1/4"

· length of knee lever 185 mm

Only suitable for basins with an overflow.





10 105 970

Grated waste 1 1/4"

Only suitable for basins with an overflow.

		Luio
polished chrome	10 105 970-00	44.40
matt black	10 105 970-33	59.90



10 110 970

Grated waste 1 1/4"

Only suitable for sinks without an overflow.

		Euro
polished chrome	10 110 970-00	44.40
matt black	10 110 970-33	59.90



33 600 960

Single-lever bidet mixer with pop-up waste

- · 140 mm projection
- ball-joint pivotable through 15° (in any direction)
- · circular, air-enriched flow
- height of mixer 140 mm
- · height up to aerator 97 mm
- · hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leaktested
- · max. flow 7 l/min

		Euro
polished chrome	33 600 960-00	510.60
matt black	33 600 960-33	686.80



Bidet spray

- wall bracket with integrated safety shut off valve
- · max. standing pressure: 5bar
- · hand shower with back flow preventer
- · 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backfl ow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.





Miscellaneous bidet

10 050 970

Siphon for bidet 1 1/4"

· rosette Ø 65 mm

		Euro
polished chrome	10 050 970-00	66.10
matt black	10 050 970-33	89.30



22 901 979

Angle valve

- · rosette Ø 55 mm
- · hose covering 200mm, for shortening

		Euro
polished chrome	22 901 979-00	143.30
matt black	22 901 979-33	193.50



33 600 960



Single-lever bidet mixer with pop-up waste

- · 140 mm projection
- ball-joint pivotable through 15° (in any direction)
- · circular, air-enriched flow
- · height of mixer 140 mm
- · height up to aerator 97 mm
- · hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leaktested
- \cdot max. flow 7 l/min

		Euro
polished chrome	33 600 960-00	510.60
matt black	33 600 960-33	686.80

polished chrome

Euro

245.50

27 701 970-00

27 701 970





- wall bracket with integrated safety shut off valve
- · max. standing pressure: 5bar
- · hand shower with back flow preventer
- \cdot 1/2" shower outlet
- · rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backfl ow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

Miscellaneous bidet

10 050 970

Siphon for bidet 1 1/4"

· rosette Ø 65 mm




 polished chrome
 10 050 970-00
 66.10

 matt black
 10 050 970-33
 89.30

22 901 979

Angle valve



hose covering 200mm, for shortening






Euro

34 457 969

Shower thermostat for wall mounting with fixed and hand shower

polished chrome

34 457 969-00 2,474.50




- · hand shower: normal flow
- rotary diverter with volume control and shut-off function
- · rain shower Ø 220mm
- · rain shower with anti-scale system
- · bar-type hand shower with anti-scale system
- height of fittings up to top edge of elbow 1170mm
- \cdot height of fittings up to rain shower (bottom edge) 1025mm
- rosette for wall mounting Ø 57mm
- · rosette for shower holder Ø 57mm
- slide-on rosettes Ø 60 mm
- · metal shower hose 1250mm with integrated anti-twist protection
- · 1/2" connection
- · gauge 150 mm 13 mm
- · max. rainshower flow 8.6 l/min
- · max. hand shower flow 7.6 l/min

Intrinsic protection against back flow.

34	442	969	

NEW Shower thermostat for wall mounting

Euro polished chrome 34 442 969-00 533.10





gauge 150 mm - 13 mm

rotary diverter with volume control and shut-off function





Required miscellaneous Euro 12 202 979-00 38.10 Adapter for shower outlet 3/8" polished chrome x 1/2"



Single-lever shower mixer for wall mounting

- · 3/8" shower outlet
- · slide-on rosettes Ø 60 mm
- · 1/2" connection
- · gauge 150 mm 15 mm

Euro 384.90 polished chrome 33 301 960-00 matt black 33 301 960-33 504.30



Intrinsic protection against back flow.



Recommended miscellane	ous		Euro
Shower set	polished chrome	26 403 969-00	417.70
	matt black	26 403 969-33	563.90



Recommended miscellaneous			Euro
Adapter for shower outlet 3/8"	polished chrome	12 202 979-00	38.10
x 1/2"	matt black	12 202 979-33	50.40

36 122 960



Concealed single-lever mixer with diverter Euro polished chrome 36 122 960-00 580.20 · automatic diverter · cover plate 150 x 90 mm 783.30 matt black 36 122 960-33 Product alternative Euro polished chrome 36 022 960-00 Concealed single-lever mixer 447.50 without diverter matt black 36 022 960-33 604.10 Required miscellaneous Euro Concealed rough parts 35 020 970 90 180.10 Concealed single-lever mixer min. recess depth 80 mm max. recess depth 105 mm For details and miscellaneous, see page 92 Required miscellaneous Euro 35 021 970 90 257.20 Concealed single-lever mixer with Concealed rough parts backflow preventor min. recess depth 80 mm max. recess depth 105 mm

36 425 960



Concealed thermostat with one function volume control

see page 93

Euro polished chrome 36 425 960-00 621.20

- · cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C

For details and miscellaneous,

· hot water temperature limiter, can be preset



Required miscellaneous Euro

Concealed thermostat Concealed rough parts 35 425 970 90 331.30

· min. recess depth 80 mm · max. recess depth 136 mm

For details and miscellaneous, see page 93



Required miscellaneous Euro
Concealed thermostat with builtin isolators

Euro
35 426 970 90 347.90

min. recess depth 80 mmmax. recess depth 136 mm

Euro

417.70

563.90

Euro

93.30

36 426 960



Concealed thermostat with two function volume control

- rotary diverter with volume control and shut-off function
- · cover plate 150 x 90 mm
- · temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

		Euro
polished chrome	36 426 960-00	727.90
matt black	36 426 960-33	953.80



Required miscellaneous Euro 331.30 Concealed rough parts 35 425 970 90 **Concealed thermostat**

min. recess depth 80 mm

max. recess depth 136 mm

For details and miscellaneous, see page 93



26 403 969-00

26 403 969-33



Required miscellaneous

Concealed thermostat with builtin isolators

347.90 Concealed rough parts 35 426 970 90

min. recess depth 80 mm

max. recess depth 136 mm

For details and miscellaneous, see page 94

26 403 969



Shower set

- · three settings: normal flow, soft flow, massage flow
- with anti-scale system
- spray head Ø 100mm
- gauge 835 mm
- metal shower hose 1750mm with integrated
- anti-twist protection
- · shower hose connector 3/8"
- · slide bar
- max. flow 7.6 l/min

Intrinsic protection against back flow.

T	Required miscellaneous
	Adapter for shower outle

Euro polished chrome 12 202 979-00 38.10 ower outlet 3/8"



Recommended miscellaneous Euro Wall elbow polished chrome 28 450 960-00 89.60

polished chrome

matt black



Recommended miscellaneous Concealed wall elbow Concealed rough parts 35 085 970 90

- · min. recess depth 90 mm
- · max. recess depth 163 mm

27 806 960



Hand shower set

- · normal flow
- · with anti-scale system
- shower holder rosette, 63 x 63 mm
- · metal shower hose 1250mm with integrated anti-twist protection
- · max. flow 7.6 l/min

Intrinsic protection against back flow.



Recommended miscellaneous

Euro 28 450 960-00 89.60 Wall elbow polished chrome matt black 28 450 960-33 120.50

Concealed rough parts

polished chrome

Concealed rough parts

matt black

polished chrome

matt black



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous

Tor details and miscendileous,
see page 96

28 786 960

Rain shower with wall fixing

- 450 mm projection
- · rain flow
- · with anti-scale system
- rain shower 300 x 240mm
- · rosette 63 x 63, as required
- · 1/2" connection
- · max. flow 14 l/min



Recommended miscellaneous


Concealed wall elbow

- · min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous,

see page 96

28 796 960



- · rain flow
- · with anti-scale system
- rain shower 300 x 240mm
- · rosette 63 x 63, as required
- · 1/2" connection
- · max. flow 14 l/min




Recommended miscellaneous

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 96

		Euro
polished chrome	28 796 960-00	937.30
matt black	28 796 960-33	1,306.10



Concealed rough parts

Euro 35 085 970 90 93.30

Euro

326.30

438.80

Euro

93.30

Euro

Euro

93.30

1,102.80

1,536.60

27 806 960-00

27 806 960-33

35 085 970 90

28 786 960-00

28 786 960-33

35 085 970 90

Miscellaneous shower

28 450 960



Wall elbow

- · 1/2" shower outlet
- · rosette 63 x 63 mm
- · 1/2" connection

Intrinsic protection against back flow.

 polished chrome
 28 450 960-00
 89.60

 matt black
 28 450 960-33
 120.50

Recommended miscellaneous Concealed wall elbow




- · min. recess depth 90 mm
- · max. recess depth 163 mm

For details and miscellaneous, see page 96

		Euro
Concealed rough parts	35 085 970 90	93 30

28 050 960






		Euro
polished chrome	28 050 960-00	117.00
matt black	28 050 960-33	157.30



28 014 969

Hand shower



- three settings: normal flow, soft flow, massage flow
- · with anti-scale system
- · 1/2" connection
- · max. flow 7.6 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	28 014 969-00	103.10
matt black	28 014 969-33	135.30

28 011 969

Hand shower

- · spray head Ø 120mm
- three settings: normal flow, soft flow, massage flow
- · with anti-scale system
- · 1/2" connection
- · max. flow 9 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	28 011 060-00	179 40



Bar-type hand shower



- · with anti-scale system
- · 1/2" connection
- · max. flow 7.6 l/min

Intrinsic protection against back flow.

		Euro
polished chrome	28 013 969-00	188.80
matt black	28 013 969-33	247.60



33 200 960



Single-lever bath mixer for wall mounting without shower set

- 210-220 mm projection
- · circular normal flow
- · automatic bath/shower diverter
- · 1/2" shower outlet
- · 1/2" connection
- · gauge 150 mm 15 mm
- · max. flow 17.8 I/min at 3 bar flow pressure

Intrinsic protection against back flow.





Recommended miscellaneous			Euro
Shower set	polished chrome	26 403 969-00	417.70
	matt black	26 403 969-33	563.90



Recommended miscellaneous			Euro
Hand shower set	polished chrome	27 806 960-00	326.30
	matt black	27 806 960-33	438.80

34 234 969

Bath thermostat for wall mounting with hand shower set





25 863 960



Single-lever bath mixer with stand pipe for	
free-standing assembly with hand shower se	t

- · 215 mm projection
- · fixed spout
- · spout: circular, air-enriched flow
- complete hand shower set: normal flow
- · bar-type hand shower with anti-scale system
- · wall bracket
- · automatic bath/shower diverter
- · total height 855 925 mm
- stand pipe height 565 635 mm
- height up to aerator 865 935 mm
- · push-on rosette 130 x 130 mm
- metal shower hose 1250mm with integrated anti-twist protection
- · max. flow 16 l/min at 3 bar flow pressure
- · max. flow for complete hand shower set 7.6 l/min

Intrinsic protection against back flow.



Required miscellaneous

Concealed floor mounting

- · min. recess depth 80 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 96

		Euro
polished chrome	25 863 960-00	3,236.00
matt black	25 863 960-33	4,351.90

Concealed rough parts

35 945 970 90

638.50

Euro

27 412 960-00

27 412 960-33

Euro

1,420.50

1,910.60

27 412 960



Three-hole single-lever bath mixer for bath rim or tile edge installation

- · 205 mm projection
- · spout: circular, air-enriched flow
- · complete hand shower set with anti-scale system
- automatic bath/shower diverter
- · height of mixer 138 mm
- · height up to aerator 113 mm
- · hole diameter spout 35 mm
- · hole diameter single-lever mixer 35 mm
- · hole diameter for complete hand shower set 32 mm
- · rosette for spout 63 x 63mm
- · rosette for complete hand shower set 63 x 63mm
- · rosette for single-lever mixer, 63 x 63 mm
- · metal shower hose 1750mm with integrated anti-twist protection
- · max. flow 16 l/min at 3 bar flow pressure
- \cdot max. flow for complete hand shower set

Intrinsic protection against back flow.



Recommended miscellaneous		Euro
Perfecto installation kit	12 614 970 90	1,363.50


polished chrome

matt black




Recommended miscellaneous			Euro
Decorative caps for Perfecto	polished chrome	12 801 970-00	42.20
· 1 pair	matt black	12 801 970-33	57.20
For details and miscellaneous, see page 86			

13 801 960



- · 210 mm projection
- · circular normal flow
- max. flow 25.8 l/min at 3 bar flow pressure



Recommended miscellaneous Euro 93.30 Concealed wall elbow Concealed rough parts

polished chrome



min. recess depth 90 mm · max. recess depth 163 mm

For details and miscellaneous, see page 96

35 085 970 90

13 801 960-00

Euro

473.10

36 247 970



bath spout with pop-up waste and overflow

- · drain Ø 52mm
- · max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

		Euro
polished chrome	36 247 970-00	254.10
matt black	36 247 970-33	343.10



Required miscellaneous Bath spout with pop-up waste and overflow

· bowden cable length 725 mm

Euro Concealed rough parts 35 248 970 90 375.20

Euro

Euro

Euro

257.20

180.10

35 020 970 90



Required miscellaneous Euro 36 150 970-00 69.70 polished chrome Vacuum breaker · rosette 70 mm matt black 36 150 970-33 94.10



Required miscellaneous Euro Concealed rough parts 35 150 970 90 Vacuum breaker 239.20

3/4" connection

36 122 960



Concealed single-lever mixer with diverter

· automatic diverter	polished chrome	36 122 960-00	580.20
· cover plate 150 x 90 mm	matt black	36 122 960-33	783.30



Product alternative Euro Concealed single-lever mixer polished chrome 36 022 960-00 447.50 without diverter matt black 36 022 960-33 604.10

Concealed rough parts



Required miscellaneous Concealed single-lever mixer min. recess depth 80 mm

max. recess depth 105 mm

For details and miscellaneous, see page 92





backflow preventor min. recess depth 80 mm

max. recess depth 105 mm

Euro

326.30

438.80

Euro

93.30

27 806 960-00

27 806 960-33

35 085 970 90

27 806 960

Hand shower set

- · normal flow
- · with anti-scale system
- · shower holder rosette, 63 x 63 mm
- · metal shower hose 1250mm with integrated anti-twist protection
- · max. flow 7.6 l/min

Intrinsic protection against back flow.



Recommended miscellaneous			Euro
Wall elbow	polished chrome	28 450 960-00	89.60
	matt black	28 450 960-33	120.50

Concealed rough parts

polished chrome

matt black



Recommended miscellaneous

Concealed wall elbow

- · min. recess depth 90 mm
- · max. recess depth 163 mm

For details and miscellaneous, see page 96

Miscellaneous bath

	960



۱۸/-	м	\sim 1	ho	

Wall elbow			Euro
· 1/2" shower outlet	polished chrome	28 450 960-00	89.60
· rosette 63 x 63 mm	matt black	28 450 960-33	120.50
· 1/2" connection			

Intrinsic protection against back flow.



Recommended miscellaneous

· min. recess depth 90 mm

max. recess depth 163 mm

For details and miscellaneous, see page 96

Euro 35 085 970 90 93.30 Concealed wall elbow Concealed rough parts

Concealed rough parts

28 050 960



· rosette 63 x 63 mm

Euro polished chrome 28 050 960-00 117.00 157.30 matt black 28 050 960-33



36 243 970

Pop-up waste and overflow

· drain Ø 52mm

Also suitable for king-size baths.

Euro polished chrome 168.00 36 243 970-00 matt black 36 243 970-33 227.00





Required miscellaneous

Pop-up waste and overflow

· bowden cable length 725 mm

Euro 35 227 970 90 136.30

83 030 960



Bath grip

- · gauge 300 mm
- · width 355mm
- · height 35 mm
- · 82 mm projection

		Euro
polished chrome	83 030 960-00	180.20

83 060 960

Towel bar



- gauge 600 mm
- · width 655mm
- · height 35 mm
- · 82 mm projection

		Euro
polished chrome	83 060 960-00	219.80
matt black	83 060 960-33	295.60

83 211 960

Towel bar 1-piece non-swivel



- · width 100mm
- · height 35 mm
- · 440 mm projection

		Euro
polished chrome	83 211 960-00	192.30
matt black	83 211 960-33	258.60

83 251 960

Hooks



· 40 mm projection

Euro polished chrome 83 251 960-00 67.20 matt black 83 251 960-33 90.50



83 400 960

Tumbler holder wall model

- · crystal glass, transparent
- · width 65mm
- · height 116 mm
- · 93 mm projection

		Euro
polished chrome	83 400 960-00	174.30
matt black	83 400 960-33	234.70



Recommended miscellaneous

Crystal tumbler transparent

Euro 08 90 00 002 84 36.30

83 435 965



Dispenser wall model

- · bottle made of crystal glass, matt
- · width 60mm
- · height 200 mm
- · 250 ml bottle
- · 95 mm projection

		Euro
polished chrome	83 435 965-00	345.00
matt black	83 435 965-33	465.60

83 481 970	Shelf wal	l model			Euro
03 401 370	· width 20		polished chrome	83 481 970-00	100.60
	· height 2		pononou omorno	00 101 070 00	100.00
Allan	· 100 mm	projection			
	· without	grid element			
		Required miscellaneous			Euro
		Grid element	matt black	82 481 970-33	38.30
		· plastic grid elements	creamy white	82 481 970-51	38.30
			light grey	82 481 970-52	38.30
			taupe	82 481 970-53	38.30
83 482 970	Shelf wal	l model			Euro
30 40£ 3/V	· width 30		polished chrome	83 482 970-00	119.40
	· height 2		ponsiled dironie	03 402 370-00	113.40
Allan		projection			
		grid element			
		Required miscellaneous			Euro
		Grid element	matt black	82 482 970-33	50.80
		· plastic grid elements	creamy white	82 482 970-51	50.80
		. 0	light grey	82 482 970-52	50.80
			taupe	82 482 970-53	50.80
			taapo	52 152 676 55	00.00
83 500 960	Tissue ho	Ider without cover			Euro
	· width 14	l2mm	polished chrome	83 500 960-00	147.90
	· height 3	5 mm	matt black	83 500 960-33	199.00
	․ 82 mm լ	projection			
83 900 969	Toilet bru	sh set wall model			Euro
	crystal		polished chrome	83 900 969-00	301.20
m	· brush, n	natt black	matt black	83 900 969-33	411.60
	· width 12 · height 4 · 119 mm				
		Recommended miscellaneous			F
		Brush white		08 18 50 600 90	Euro 11.60
	2997				
		Recommended miscellaneous			E
		Brush matt black		08 18 50 601 90	Euro 26.30
	利斯	Drusii matt biack		00 10 30 001 30	20.30
		Recommended miscellaneous			Euro
		Glass matt		08 90 04 008 82	47.40
		Recommended miscellaneous			Euro
		Brush handle	polished chrome	90 20 97 507 00-00	81.20
			matt black	90 20 97 507 00-33	108.30

JUST



BASIN

BIDET

SHOWER

BATH

ACCESSORIES

Finishes:

Fittings: -00 polished chrome

All Professional Information can also be found at ${\bf www.dornbracht\text{-}professional.com}.$

33 500 965

Single-lever basin mixer with pop-up waste

onigie level basin mixel with pop up waste

140 mm projectionfixed spout

- · circular, air-enriched flow
- · height of mixer 150 mm
- · height up to aerator 100 mm
- · hole diameter 35 mm
- · 2x screw-in M 10 x 1 pressure hose, leaktested
- · max. flow 6.6 l/min
- · lead-free



Product alternative

Single-lever basin mixer without polished chrome

pop-up waste

without pop-up waste

Euro polished chrome 33 500 965-00 411.80

Euro 33 521 965-00 369.90

33 534 965-00

Euro

654.70

33 525 965

Single-lever basin mixer without pop-up waste

· 115 mm projection

- · fixed spout
- · circular, air-enriched flow
- · height of mixer 135 mm
- · height up to aerator 85 mm
- · hole diameter 35 mm
- · 2x screw-in M 10 x 1 pressure hose, leak-
- tested · max. flow 5.7 l/min
- · lead-free



Single-lever basin mixer with raised base without pop-up waste

- · 140 mm projection
- · fixed spout
- · circular, air-enriched flow
- · height of mixer 300 mm
- · height up to aerator 250 mm
- · hole diameter 35 mm
- · 2x screw-in M 10 x 1 pressure hose, leaktested
- \cdot max. flow 6.6 l/min
- · lead-free


for use on counter-top bowls

		Euro
polished chrome	33 525 965-00	410.70

polished chrome



36 860 965



612.90

· 190 mm projection · fixed spout

· circular, air-enriched flow

- · hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- · rosette for single-lever mixer 78 x 78mm
- · rosette for spout 78 x 78mm
- · max. flow 5.7 l/min
- lead-free





Required miscellaneous

Concealed wall-mounted singlelever mixer mixer on right

Concealed rough parts

Concealed rough parts

35 860 970 90

170.70

Furo

min. recess depth 80 mm

· max. recess depth 95 mm

For details and miscellaneous, see page 90

Euro



Required miscellaneous

Concealed wall-mounted singlelever mixer mixer on right


NOTE:Not suitable for concealed installation.Connection by means of angle valves, mounted with screws to back wall.

For details and miscellaneous, see page 90

35 816 970 90 293.00



13 800 965 + 42 765 970



· 190 mm projection

· fixed spout

· circular, air-enriched flow

· hole diameter 37 mm

· rosette 78 x 47 mm

1/2" connection

· max. flow 5.7 l/min

lead-free

· automatic hygiene flush

 \cdot suitable for thermal disinfection

adjustable follow-up time

· high-frequency sensors with self-calibration

· magnetic valve

temperature setting via thermostat

· 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Cannot be combined with basins that have a closing drain.

		Euro
polished chrome	1x 13 800 965-00	435.20
	1x 42 765 970 90	522.50
	Total price:	957.70



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

· min. recess depth 90 mm

· max. recess depth 125 mm

Concealed rough parts

35 741 970 90

Euro 238.40



13 800 965 + 42 766 970



eSET Touchfree Basin mixer without pop-up waste without temperature setting

- waste without temperature setting polished chrome

 190 mm projection
- · fixed spout
- · circular, air-enriched flow
- · hole diameter 37 mm
- · rosette 78 x 47 mm
- · 1/2" connection
- · max. flow 5.7 l/min
- · lead-free
- · automatic hygiene flush
- · suitable for thermal disinfection
- · adjustable follow-up time
- high-frequency sensors with self-calibration
- · magnetic valve
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel. river stone).

Cannot be combined with basins that have a closing drain.



Required miscellaneous

eSET Touchfree Basin mixer without temperature setting for combining with wall-mounted fittings

- · min. recess depth 90 mm
- max. recess depth 125 mm

Concealed rough parts 3

35 743 970 90 216.60

Euro

Euro

435.20

435.40

870.60

1x 13 800 965-00

1x 42 766 970 90

Total price:

Miscellaneous basin

10 060 970

Siphon for basin

· rosette Ø 70 mm

		Euro
polished chrome	10 060 970-00	257.30



22 901 979

Angle valve

- · rosette Ø 55 mm
- hose covering 200mm, for shortening

naliahad ahuama		Euro
polished chrome	22 901 979-00	143.30



10 200 970

10 300 970

Basin Waste with knob for deck mounting 1

1/4"

Only suitable for basins with an overflow.

		Euro
polished chrome	10 200 970-00	124.00



Basin Waste 1 1/4"

· length of knee lever 185 mm

Only suitable for basins with an overflow.

Euro polished chrome 10 300 970-00 59.80



Euro

143.30

22 901 979-00

polished chrome

			J	US1
0 105 970	Grated waste 1 1/4"		40 405 070 00	Euro
	Only suitable for basins with an overflow.	polished chrome	10 105 970-00	44.40
0 110 970	Grated waste 1 1/4"			Euro
3	Only suitable for sinks without an overflow.	polished chrome	10 110 970-00	44.40
33 600 960	Single-lever bidet mixer with pop-up waste			Euro
	 140 mm projection ball-joint pivotable through 15° (in any direction) circular, air-enriched flow height of mixer 140 mm height up to aerator 97 mm hole diameter 35 mm 2x screw-in M 10 x 1 pressure hose, leaktested max. flow 7 l/min 	polished chrome	33 600 960-00	510.60
27 701 970	Bidet spray			Euro
	 wall bracket with integrated safety shut off valve max. standing pressure: 5bar hand shower with back flow preventer 1/2" shower outlet rosette Ø 60 mm metal shower hose 1250mm with integrated anti-twist protection 	polished chrome	27 701 970-00	245.50
YI	This product does not provide intrinsic protection against backfl ow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.			
Miscellaneous bidet				
10 050 970	Siphon for bidet 1 1/4"			Euro
	· rosette Ø 65 mm	polished chrome	10 050 970-00	66.10



Angle valve

· rosette Ø 55 mm · hose covering 200mm, for shortening

22 901 979

33 300 965	Single-lever shower mixer for wall mounting				
	 1/2" shower outlet slide-on rosettes Ø 60 mm 1/2" connection gauge 150 mm - 15 mm Intrinsic protection against back flow. 		polished chrome	33 300 965-00	468.90
	101	Recommended miscellaneous			Euro
	A	Shower set	polished chrome	26 403 969-00	417.70
		Recommended miscellaneous			Euro
		Hand shower set	polished chrome	27 806 960-00	326.30
34 442 969 NEW	3/8" showslide-on rgauge 15rotary divshut-off f	osettes Ø 70 mm 0 mm - 13 mm verter with volume control and unction otection against back flow.	polished chrome	34 442 969-00	Euro 533.10
		Required miscellaneous	P. L. L. L.	40,000,070,00	Euro
		Adapter for shower outlet 3/8" x 1/2"	polished chrome	12 202 979-00	38.10
36 060 965	Concealed	single-lever mixer with cover plate			Euro
	· cover pla	te 78 x 78 mm	polished chrome	36 060 965-00	374.90
		Required miscellaneous			Euro
and the same		Concealed wall-mounted single- lever mixer mixer on right min. recess depth 80 mm max. recess depth 95 mm	Concealed rough parts	35 860 970 90	170.70
		For details and miscellaneous, see page 90			

36 121 965



Concealed single-lever mixer with diverter polished chrome · automatic diverter 36 121 965-00

· cover plate 150 x 90 mm

Consociad single lover miver	nolished chrome	36 021 965-00	344 30
Product alternative			Euro



ro 44.30 Concealed single-lever mixer without diverter



Required miscellaneous Euro 35 020 970 90 180.10 Concealed single-lever mixer Concealed rough parts

min. recess depth 80 mm max. recess depth 105 mm

For details and miscellaneous, see page 92



Required miscellaneous Euro Concealed single-lever mixer with Concealed rough parts 35 021 970 90 257.20

min. recess depth 80 mm max. recess depth 105 mm

backflow preventor

For details and miscellaneous, see page 93

36 425 960



Concealed thermostat with one function volume control

Euro polished chrome 36 425 960-00 621.20

Euro

424.90

- cover plate 150 x 90 mm
- · temperature control handle with safety limit stop at 38°C
- · hot water temperature limiter, can be preset

Required miscellaneous Euro 35 425 970 90 Concealed rough parts 331.30 Concealed thermostat

min. recess depth 80 mm max. recess depth 136 mm

For details and miscellaneous, see page 93



Required miscellaneous Euro Concealed thermostat with built-Concealed rough parts 35 426 970 90 347.90 in isolators

min. recess depth 80 mm

max. recess depth 136 mm

Euro

36 426 960



Concealed thermostat with two function volume control

polished chrome rotary diverter with volume control and

36 426 960-00 727.90

- shut-off function
- · cover plate 150 x 90 mm
- · temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset



Required miscellaneous Euro 331.30 Concealed rough parts 35 425 970 90 **Concealed thermostat**

min. recess depth 80 mm

max. recess depth 136 mm

For details and miscellaneous, see page 93





Required miscellaneous

Concealed thermostat with built-

Concealed rough parts

Euro

35 426 970 90

347.90


in isolators min. recess depth 80 mm max. recess depth 136 mm

For details and miscellaneous, see page 94

26 403 969

Shower set

Euro 26 403 969-00 417.70 polished chrome



- with anti-scale system
- spray head Ø 100mm
- gauge 835 mm
- metal shower hose 1750mm with integrated
- anti-twist protection
- · shower hose connector 3/8"
- · slide bar
- max. flow 7.6 l/min

Intrinsic protection against back flow.



Required miscellaneous Euro 12 202 979-00 38.10 Adapter for shower outlet 3/8" polished chrome x 1/2"



Recommended miscellaneous Euro Wall elbow polished chrome 28 450 960-00 89.60

Concealed rough parts



Recommended miscellaneous

Euro

35 085 970 90

93.30

- Concealed wall elbow · min. recess depth 90 mm
- · max. recess depth 163 mm

27 806 960



Hand shower set

27 806 960-00 · normal flow polished chrome

- · with anti-scale system
- · shower holder rosette, 63 x 63 mm
- · metal shower hose 1250mm with integrated anti-twist protection
- · max. flow 7.6 l/min

Intrinsic protection against back flow.



Recommended miscellaneous Euro 28 450 960-00 89.60 Wall elbow polished chrome

Concealed rough parts

polished chrome

Concealed rough parts



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 96

28 786 960



28 796 960

- Rain shower with wall fixing
- 450 mm projection
- · rain flow
- with anti-scale system
- rain shower 300 x 240mm
- · rosette 63 x 63, as required
- · 1/2" connection
- · max. flow 14 l/min



Recommended miscellaneous

Concealed wall elbow

- · min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 96

Rain shower with ceiling fixing

- · rain flow
- · with anti-scale system
- rain shower 300 x 240mm
- · rosette 63 x 63, as required
- · 1/2" connection
- · max. flow 14 l/min



Recommended miscellaneous

Concealed wall elbow

min. recess depth 90 mm max. recess depth 163 mm

For details and miscellaneous, see page 96

Concealed rough parts

Euro

Euro

93.30

Euro

Euro

93.30

Euro

Euro

93.30

326.30

28 786 960-00 1,102.80

35 085 970 90

35 085 970 90

35 085 970 90

polished chrome 28 796 960-00 937.30

Euro

89.60

Euro

93.30

Euro

Miscellaneous shower

28 450 960



Wall elbow

- · 1/2" shower outlet
- · rosette 63 x 63 mm
- · 1/2" connection

Intrinsic protection against back flow.



Recommended miscellaneous

Concealed wall elbow

- · min. recess depth 90 mm max. recess depth 163 mm
- For details and miscellaneous,

Concealed rough parts

see page 96

28 050 960



· rosette 63 x 63 mm

polished chrome

polished chrome

Euro 28 050 960-00 117.00

28 450 960-00

35 085 970 90



26 705 670

Slide bar with slider

- · 73 mm projection
- gauge 835 mm

polished chrome

26 705 670-00 227.50



28 014 969

Hand shower

- · spray head Ø 100mm
- · three settings: normal flow, soft flow,
- massage flow
- · with anti-scale system
- · 1/2" connection
- · max. flow 7.6 l/min

Intrinsic protection against back flow.

Euro polished chrome 28 014 969-00 103.10



Hand shower

- · spray head Ø 120mm
- · three settings: normal flow, soft flow, massage flow
- with anti-scale system
- · 1/2" connection
- · max. flow 9 I/min

Intrinsic protection against back flow.

		Euro
polished chrome	28 011 969-00	179.40



Bar-type hand shower

- · normal flow
- with anti-scale system
- · 1/2" connection
- · max. flow 7.6 l/min

Intrinsic protection against back flow.



Euro polished chrome 28 013 969-00 188.80

33 200 965



Single-lever bath mixer for wall mounting without shower set

- · 190 mm projection
- · circular, air-enriched flow
- · automatic bath/shower diverter
- · 1/2" shower outlet
- · slide-on rosettes Ø 60 mm
- · 1/2" connection
- · gauge 150 mm
- · max. flow 16.4 l/min at 3 bar flow pressure

Intrinsic protection against back flow.



Recommended miscellaneous Euro
Shower set polished chrome 26 403 969-00 417.70

polished chrome



Recommended miscellaneous Euro
Hand shower set polished chrome 27 806 960-00 326.30

34 234 969

Bath thermostat for wall mounting with hand shower set

polished chrome 34 234 969-00 1,035.20




25 863 965

Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set polished chrome

polished chrome 2

Euro 25 863 965-00 3,239.30



- $\cdot\,$ spout: circular, air-enriched flow
- \cdot complete hand shower set: normal flow
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- · total height 855 925 mm
- stand pipe height 565 635 mm
- · height up to aerator 865 935 mm
- · push-on rosette 130 x 130 mm
- metal shower hose 1250mm with integrated anti-twist protection
- max. flow for complete hand shower set 7.6 l/min
- · max. flow 16 l/min at 3 bar flow pressure

Intrinsic protection against back flow.



Required miscellaneous

Concealed floor mounting

- · min. recess depth 80 mm
- · max. recess depth 150 mm

For details and miscellaneous, see page 96

Concealed rough parts

35 945 970 90

0 638.50

Euro

Euro

705.80

33 200 965-00

27 412 965

Three-hole single-lever bath mixer for bath rim or tile edge installation

polished chrome

Euro 27 412 965-00 1,424.20



· 210 mm projection

- · spout: circular, air-enriched flow
- · complete hand shower set with anti-scale system
- automatic bath/shower diverter
- · height of mixer 138 mm
- · height up to aerator 132 mm
- · hole diameter spout 32 mm
- hole diameter single-lever mixer 35 mm
- · hole diameter for complete hand shower set 32 mm
- · rosette for spout 63 x 63mm
- · rosette for complete hand shower set 63 x 63mm
- · rosette for single-lever mixer, 63 x 63 mm
- · metal shower hose 1750mm with integrated anti-twist protection
- · max. flow 16 l/min at 3 bar flow pressure
- · max. flow for complete hand shower set 7.6 l/min

Intrinsic protection against back flow.



Recommended miscellaneous Euro 12 614 970 90 1,363.50 Perfecto installation kit



Recommended miscellaneous **Decorative caps for Perfecto**

polished chrome


Euro 12 801 970-00

42.20

· 1 pair

For details and miscellaneous, see page 86

36 247 970



- · drain Ø 52mm
- · max. flow 27.8 l/min at 3 bar flow pressure

polished chrome

36 247 970-00

Euro 254.10





Also suitable for king-size baths. In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under

DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.



Required miscellaneous Euro 35 248 970 90 375.20 Bath spout with pop-up waste Concealed rough parts and overflow

· bowden cable length 725 mm



Required miscellaneous Euro 69.70 Vacuum breaker polished chrome 36 150 970-00

· rosette 70 mm




Required miscellaneous Euro Concealed rough parts 35 150 970 90 239.20 Vacuum breaker

· 3/4" connection

36 121 965



Concealed single-lever mixer with diverter





Product alternative

Concealed single-lever mixer without diverter

polished chrome

Concealed rough parts

polished chrome

Euro 36 021 965-00 344.30

36 121 965-00

35 020 970 90

35 021 970 90

13 410 965-00

27 806 960-00

35 085 970 90

Euro

Euro

Euro

Euro

Euro

93.30

Euro

Euro

89.60

Euro

93.30

326.30

1,235.70

257.20

180.10

424.90



Required miscellaneous

Concealed single-lever mixer

min. recess depth 80 mm max. recess depth 105 mm

For details and miscellaneous, see page 92



Required miscellaneous

Concealed single-lever mixer with Concealed rough parts backflow preventor

min. recess depth 80 mm max. recess depth 105 mm

For details and miscellaneous, see page 93

13 410 965



120 mm projection

- cascade
- · plate 215 mm x 78 mm
- · 1/2" connection
- max. flow 26.5 l/min at 3 bar flow pressure



Recommended miscellaneous

min. recess depth 90 mm

max. recess depth 163 mm

For details and miscellaneous, see page 96

35 085 970 90 Concealed wall elbow Concealed rough parts

polished chrome

polished chrome

Concealed rough parts



Hand shower set

- · normal flow
- · with anti-scale system · shower holder rosette, 63 x 63 mm
- · metal shower hose 1250mm with integrated
- anti-twist protection
- · max. flow 7.6 l/min

Intrinsic protection against back flow.



	Recommended miscellaneous		
1	Wall elbow	polished chrome	28 450 960-00



Recommended miscellaneous Concealed wall elbow

· min. recess depth 90 mm

max. recess depth 163 mm

Miscellaneous bath

28 450 960



Wall elbow

- · 1/2" shower outlet · rosette 63 x 63 mm
- · 1/2" connection

Intrinsic protection against back flow.



Recommended miscellaneous

Concealed wall elbow

· min. recess depth 90 mm max. recess depth 163 mm

For details and miscellaneous,

see page 96

Concealed rough parts

polished chrome

35 085 970 90

28 450 960-00

93.30

Euro

Euro

89.60

28 050 960

Wall bracket

· rosette 63 x 63 mm

polished chrome

28 050 960-00

Euro 117.00



36 243 970

Pop-up waste and overflow

Also suitable for king-size baths.

· drain Ø 52mm

polished chrome

Concealed rough parts

36 243 970-00

Euro 168.00



Required miscellaneous

Pop-up waste and overflow

· bowden cable length 725 mm

35 227 970 90

136.30

Euro

83 030 965

Bath grip

- · gauge 300 mm
- · width 345mm
- · height 25 mm
- · 73 mm projection





83 060 965

Towel bar/hand rail

- · gauge 600 mm
- width 645mm
- height 25 mm
- · 73 mm projection

		Euro
polished chrome	83 060 965-00	223.40

E

Euro

Euro

345.00

174.30



83 211 965

Towel bar non-swivel

- · width 25mm
- · height 73 mm
- · 425 mm projection





83 251 710

Hooks

- · width 21mm
- · height 40 mm
- · 40 mm projection

		Euro
polished chrome	83 251 710-00	82.20



83 400 960

Tumbler holder wall model

- · crystal glass, transparent
- · width 65mm
- · height 116 mm
- · 93 mm projection



Recommended miscellaneous

Crystal tumbler transparent

polished chrome

polished chrome

Euro 08 90 00 002 84 36.30

83 435 965-00

83 400 960-00



83 435 965

Dispenser wall model

- \cdot bottle made of crystal glass, matt
- · width 60mm
- · height 200 mm
- · 250 ml bottle
- · 95 mm projection



83 481 970	Shelf wall width 20 height 2 100 mm without	00mm	polished chrome	83 481 970-00	Euro 100.60
		Grid element	matt black	82 481 970-33	38.30
		· plastic grid elements	creamy white	82 481 970-51	38.30
			light grey	82 481 970-52	38.30
			taupe	82 481 970-53	38.30
83 482 970	Shelf wall	l model			Euro
			polished chrome	83 482 970-00	119.40
		Required miscellaneous			Euro
		Grid element	matt black	82 482 970-33	50.80
		· plastic grid elements	creamy white	82 482 970-51	50.80
			light grey	82 482 970-52	50.80
			taupe	82 482 970-53	50.80
83 500 965		lder without cover			Euro
	· width 13 · height 2 · 88 mm p	5 mm	polished chrome	83 500 965-00	151.60
83 900 969	Toilet brus	sh set wall model			Euro
	crystal g brush, n width 12 height 4	natt black 26mm	polished chrome	83 900 969-00	301.20
	.A.	Recommended miscellaneous			Euro
		Brush white		08 18 50 600 90	11.60
	0-1 = -2 -	Recommended miscellaneous			Euro
*	雜	Brush matt black		08 18 50 601 90	26.30
		Recommended miscellaneous			Euro
		Glass matt		08 90 04 008 82	47.40
	1	Recommended miscellaneous			Euro
		Brush handle	polished chrome	90 20 97 507 00-00	81.20

SUBWAY




Finishes:

Fittings: -00 polished chrome

 $\label{professional Information can also be found at } \mathbf{www.dornbracht\text{-}professional.com}.$

33 500 935



· 130 mm projection polis

· fixed spout

· circular, air-enriched flow

· height of mixer 132 mm

· height up to aerator 72 mm

hole diameter 35 mm

· 2x screw-in M 10 x 1 pressure hose, leaktested

· max. flow 7 l/min





Product alternative Euro
Single-lever basin mixer without polished chrome 33 521 935-00 236.80

· without pop-up waste

pop-up waste

Miscellaneous basin

10 060 970

Siphon for basin

· rosette Ø 70 mm

polished chrome 10 060 970-00 257.30

Euro



22 901 979

Angle valve

- · rosette Ø 55 mm
- · hose covering 200mm, for shortening

Euro polished chrome 22 901 979-00 143.30



10 200 970

Basin Waste with knob for deck mounting 1

1/4"

Only suitable for basins with an overflow.

Euro polished chrome 10 200 970-00 124.00



10 300 970 Basin Waste 1 1/4"

· length of knee lever 185 mm

Only suitable for basins with an overflow.

Euro polished chrome 10 300 970-00 59.80



10 105 970

Grated waste 1 1/4"

Only suitable for basins with an overflow.

 Euro

 polished chrome
 10 105 970-00
 44.40



33 600 960




Single-lever bidet mixer with pop-up waste

- · 140 mm projection
- ball-joint pivotable through 15° (in any direction)
- · circular, air-enriched flow
- · height of mixer 140 mm
- · height up to aerator 97 mm
- · hole diameter 35 mm
- · 2x screw-in M 10 x 1 pressure hose, leaktested
- · max. flow 7 l/min

Euro polished chrome 33 600 960-00 510.60

27 701 970





- · max. standing pressure: 5bar
- \cdot hand shower with back flow preventer
- · 1/2" shower outlet
- · rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backfl ow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

Euro polished chrome 27 701 970-00 245.50

Miscellaneous bidet

10 050 970

Siphon for bidet 1 1/4"

· rosette Ø 65 mm

		Euro
polished chrome	10 050 970-00	66.10



22 901 979

Angle valve

- · rosette Ø 55 mm
- · hose covering 200mm, for shortening

		Euro
polished chrome	22 901 979-00	143.30



10 110 970

Grated waste 1 1/4"

Only suitable for sinks without an overflow.

		Euro
polished chrome	10 110 970-00	44.40



33 300 935	Single-lev	er shower mixer for wall mounting			Euro
	· 1/2" show · slide-on · 1/2" con	ver outlet rosettes Ø 66 mm	polished chrome	33 300 935-00	335.60
	Intrinsic p	rotection against back flow.			
	est.	Recommended miscellaneous			Euro
		Shower set	polished chrome	26 403 969-00	417.70
	11	Recommended miscellaneous			Euro
		Hand shower set	polished chrome	27 805 935-00	214.10
	6				
34 442 969 NEW	Shower th	nermostat for wall mounting			Euro
	· gauge 15	rosettes Ø 70 mm 50 mm - 13 mm verter with volume control and	polished chrome	34 442 969-00	533.10
	Intrinsic p	rotection against back flow.			
	4	Required miscellaneous			Euro
	T	Adapter for shower outlet 3/8" x 1/2"	polished chrome	12 202 979-00	38.10
36 120 935	Concealed	I single-lever mixer with diverter			Euro
	automat		polished chrome	36 120 935-00	389.60
		Product alternative			Euro
	F	Concealed single-lever mixer without diverter	polished chrome	36 020 935-00	312.50
		Required miscellaneous			Euro
		Concealed single-lever mixer	Concealed rough parts	35 020 970 90	180.10
		· min. recess depth 80 mm · max. recess depth 105 mm	- ,		
		For details and miscellaneous, see page 92			
	_	Required miscellaneous			Euro
		Concealed single-lever mixer with backflow preventor	Concealed rough parts	35 021 970 90	257.20
		min. recess depth 80 mm max. recess depth 105 mm			
		For details and miscellaneous, see page 93			

36 425 969



Concealed thermostat with one function volume control

polished chrome

Euro 36 425 969-00 630.70

- · cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- · hot water temperature limiter, can be preset



Required miscellaneous Euro Concealed rough parts 35 425 970 90 331.30 **Concealed thermostat**

min. recess depth 80 mm

max. recess depth 136 mm

For details and miscellaneous, see page 93



Required miscellaneous Euro Concealed thermostat with built-Concealed rough parts 35 426 970 90 347.90

in isolators min. recess depth 80 mm


max. recess depth 136 mm

For details and miscellaneous, see page 94

36 426 969

Concealed thermostat with two function volume control

Euro polished chrome 36 426 969-00 746.30



- · cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- · hot water temperature limiter, can be preset



Required miscellaneous Euro 35 425 970 90 331.30 Concealed rough parts

Concealed thermostat

min. recess depth 80 mm max. recess depth 136 mm

For details and miscellaneous, see page 93

Euro

347.90



Required miscellaneous Concealed rough parts 35 426 970 90 Concealed thermostat with builtin isolators

min. recess depth 80 mm

max. recess depth 136 mm

36 427 969



Concealed thermostat with three function volume control rotary diverter with volume control and

polished chrome

polished chrome

Euro 36 427 969-00 774.30

- shut-off function
- · cover plate Ø 150 mm
- · temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset



Required miscellaneous

Euro Concealed rough parts

- **Concealed thermostat** min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 94

347.00 35 427 970 90



Required miscellaneous

Concealed thermostat with built-

Euro Concealed rough parts 35 428 970 90 364.00

26 403 969-00

in isolators

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 95

26 403 969

Shower set

Euro

417.70


- · three settings: normal flow, soft flow, massage flow
- with anti-scale system
- · spray head Ø 100mm
- gauge 835 mm
- metal shower hose 1750mm with integrated anti-twist protection
- · shower hose connector 3/8"
- · slide bar
- max. flow 7.6 l/min

Intrinsic protection against back flow.



Required miscellaneous

Euro polished chrome 12 202 979-00 38.10





Recommended miscellaneous

Concealed wall elbow Concealed rough parts

Euro 35 085 970 90 93.30

· min. recess depth 90 mm

· max. recess depth 163 mm



27 805 935



Hand shower set

- · three settings: normal flow, soft flow, massage flow
- · spray head Ø 100mm
- · with anti-scale system
- · shower holder rosette Ø 55mm
- · metal shower hose 1250mm with integrated anti-twist protection
- · max. flow 7.6 l/min

Intrinsic protection against back flow.



Recommended miscellaneous			Euro
Wall elbow	polished chrome	28 450 935-00	61.10

Concealed rough parts

polished chrome



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 96

Miscellaneous shower

28 450 935



Wall elbow

- · 1/2" shower outlet
- · rosette Ø 55 mm
- · 1/2" connection

Intrinsic protection against back flow.



Recommended miscellaneous

Concealed wall elbow · min. recess depth 90 mm

- max. recess depth 163 mm

For details and miscellaneous, see page 96

28 050 935



· rosette Ø 55 mm

polished chrome

polished chrome

Concealed rough parts



Euro 80.10

Euro

Euro

93.30

Euro

61.10

Euro

93.30

214.10

27 805 935-00

35 085 970 90

28 450 935-00

35 085 970 90






Hand shower

- spray head Ø 100mm
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- · 1/2" connection
- · max. flow 7.6 l/min

Intrinsic protection against back flow.



33 200 935



polished chrome

Euro 33 200 935-00 420.30



· 190 mm projection

- circular, air-enriched flow
- · automatic bath/shower diverter
- 1/2" shower outlet
- rosette Ø 65 mm
- 1/2" connection
- · gauge 150 mm
- · max. flow 22 l/min at 3 bar flow pressure

Intrinsic protection against back flow.



Recommended miscellaneous Euro Shower set polished chrome 26 403 969-00 417.70



Recommended miscellaneous Euro Hand shower set polished chrome 27 805 935-00 214.10

36 247 970



· drain Ø 52mm

· max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

Euro polished chrome 36 247 970-00 254.10



Required miscellaneous Euro

Bath spout with pop-up waste and overflow

· bowden cable length 725 mm

35 248 970 90 375.20 Concealed rough parts



Required miscellaneous Euro 36 150 970-00 69.70

· rosette 70 mm

Vacuum breaker polished chrome

Required miscellaneous Euro Concealed rough parts 35 150 970 90 239.20 Vacuum breaker

· 3/4" connection

28 050 935

36 243 970

Wall bracket

· rosette Ø 55 mm

Euro polished chrome 28 050 935-00 80.10



Pop-up waste and overflow Euro · drain Ø 52mm polished chrome 36 243 970-00 168.00



Also suitable for king-size baths.

Required miscellaneous			Euro
Pop-up waste and overflow	Concealed rough parts	35 227 970 90	136.30

· bowden cable length 725 mm

36 120 935



Concealed single-lever mixer with diverter		
· automatic diverter	polished chrome	36 120 935-00

· cover plate Ø 150 mm

	Product alternative E			Euro
=	Concealed single-lever mixer without diverter	polished chrome	36 020 935-00	312.50

Euro 389.60



Required miscellaneous Euro 35 020 970 90 180.10 Concealed rough parts Concealed single-lever mixer

min. recess depth 80 mm max. recess depth 105 mm

For details and miscellaneous, see page 92



Required miscellaneous Euro Concealed single-lever mixer with Concealed rough parts 35 021 970 90 257.20

min. recess depth 80 mm max. recess depth 105 mm

backflow preventor

For details and miscellaneous, see page 93

27 805 935



Hand shower set Euro 27 805 935-00 214.10 polished chrome

- · three settings: normal flow, soft flow,
- massage flow
- · spray head Ø 100mm
- · with anti-scale system
- · shower holder rosette Ø 55mm
- · metal shower hose 1250mm with integrated anti-twist protection
- · max. flow 7.6 l/min

Intrinsic protection against back flow.



Recommended miscellaneous Euro 28 450 935-00 polished chrome 61.10 Wall elbow



Recommended miscellaneous Euro Concealed wall elbow Concealed rough parts 35 085 970 90 93.30

· min. recess depth 90 mm max. recess depth 163 mm

For details and miscellaneous, see page 96

Miscellaneous bath

28 450 935



Wall elbow			Euro
· 1/2" shower outlet	polished chrome	28 450 935-00	61.10

· rosette Ø 55 mm · 1/2" connection

Intrinsic protection against back flow.



Recommended miscellaneous Euro Concealed rough parts 35 085 970 90 93.30 Concealed wall elbow

min. recess depth 90 mm

max. recess depth 163 mm

Your sales consultant:



Breznikova ulica 15, 1230 Domžale SLOVENIA

Contact:

Phone: +38651 88 00 88

Phone: +38641 473 287

Phone:+38651 661 750

Email: info@arona.si

